

DP-D501940-1X1-Q1-NW-Q0.1-TY/V200

DP-D501940 Wall mount for Monitor 19" - 40"




- Solid steel structure, preventing screen bending or twisting
- Cold-rolled steel plate (SPCC)
- Quick and easy installation
- Maximum load capacity is 30kg(66 lb)

▪ Specification

General	
VESA	200 (H) mm × 200 (V) mm
Dimension (W × H × D)	250 mm × 220 mm × 25 mm (9.84" × 8.66" × 0.98")
Net Weight	0.75 ± 0.5 Kg (1.65 ± 1.1 lb)
Gross Weight	0.83 ± 0.5 Kg (1.83 ± 1.1 lb)
Default Parameters	
Color	Black
Material	Cold-rolled steel plate (SPCC)
Bracket	
Capacity	≤30kg(66 lb)

▪ Dimension



▪ Accessory



DS-D5022F2-5V2



DS-D5227F3-1P0SV/D



DS-D5022F2-2P2



DS-D5022QE-D



DS-D5222F2-1V1S



Hi-D24F2P2B



DS-D5022FN-D




DS-D5024F2-6V2



DS-D5022F2-1P2



DS-D5024F2-BV2S



DS-D5022FN-C(B)



Hi-D24F2V2F



DS-D5024F3-2P3



DS-D5027F3-2P2



DS-D5024F2-5V2



DS-D5032FC-B



DS-D5027F2-1P2



Hi-D24F2P2F



DS-D5024F2-1P2



DS-D5024FN-C



DS-D5022F2-1V2S



DS-D5022F2-2P2A



DS-D5022F2-6V2



DS-D5032F3-1V0S#India



DS-D5022F2-2V2



DS-D5027F3-2P2S



DS-D5022FC-C



DS-D5022FN-C



DS-D5024F2-2V1



DS-D5024F2-BP2



DS-D5024F2-1V1



DS-D5027F2-2P2



DS-D5224F2-1V1S



DS-D5027FN01



DS-D5024FC-C



DS-D5024F2-1V2S



DS-D5024F2-2P2



DS-D5024F2-1V2



DS-D5032F3-1V0S



Hi-D24F2V2B



DS-D5227U3-1P0



DS-D5024FN01



DS-D5027FN



DS-D5024F2-AP2



DS-D5022F2-1V2



DS-D5232F2-1V1S



DS-D5224F2-1V1S/B



DS-D5224F3-1V0SV/D



DS-D5024F2-6P2



DS-D5032QE



DS-D5022F2-6P2



DS-D5024FN



DS-D5224F2-5V1S



DS-D5024F2-BV2



Hi-D22F2P2F



DS-D5019S0-1P0



DS-D5024F2-AV2



DS-D5032FC-A



DS-D5027UC



DS-D5019QE-B



DS-D5222F2-6V2S



Hi-D22F2V2F



DS-D5022F2-6V2S



DS-D5024F2-2V2

See Far, Go Further



www.hikvision.com
support@hikvision.com

