

DS-D5AC12G5-8S2 OPS Module




- Intel UHD Graphics for 12th Gen Intel Processors, support 4K resolution
- Support M.2 nvme system disk quick start
- Support 4 USB 3.0 ports, 2 USB2.0 ports, 1 HDMI port, 1 DP port, 1 Type-C port
- Support Wi-Fi IEEE 802.11 a/b/g/n/ac/ax

▪ Specification

Built-in System	
Operation System	WIN11 ENT
Processor	Intel® Core, i5-12450H, 12th
CPU Clock Speed	2.0 GHz Base, 4.4GHz Turbo
CPU Cores	8
CPU Threads	12
Memory	8G
Graphics	Intel® UHD Graphics for 12th Gen Intel® Processors
Platform Architecture	Intel® Alder Lake
Storage	256G
Interface	
Video & Audio Input	Audio in *1
Video & Audio Output	HDMI 1.4 * 1; DP 1.2 * 1 ; Audio out *1
Network Interface	RJ45 (10/100/1000 Mbps) * 1 WIFI 6
Data Transmission Interface	Bluetooth 5.2 USB 3.0 * 4 ; USB 2.0 * 2 ; Type-C * 1
Antenna	2
Power	
Standby Consumption	0.5W
Input Voltage	12V-19V DC
Max. Consumption	90W
Working Environment	
Working Temperature	0°C - 45°C
Working Humidity	10%-90%
Storage Temperature	-20°C - 70°C
Storage Humidity	5%-95%
General	
Product Dimensions (W × H × D)	195×30×180mm
Package Dimensions (W × H × D)	Carton with a single module : 306*274*78mm Carton with five modules : 416 * 320 * 297mm
Net Weight	About 1.06g
Gross Weight	Carton with a single module : about 1.34 kg Carton with five modules : about 7.24 kg
Color	Black

▪ Dimension



See Far, Go Further



www.hikvision.com
support@hikvision.com

