

TY1 4MP

Covers every corner in 2K resolution.

Smart Wi-Fi Pan & Tilt Camera

Watch over your entire space easily with the TY1 Camera's 360-degree field-of-view and its smart tracking feature. It's got you covered – all day & all night.



2K Resolution



Smart Night Vision (up to 10m / 33ft.)



Motorized Pan and Tilt for 360° Visual Coverage



Sleep Mode for Privacy Protection



Motion Detection



Smart Tracking

H.265

H.265 Video Technology



Two-Way Talk



View from Anywhere




Wi-Fi 2.4 GHz



MicroSD Slot (up to 256 GB)





This powerful camera records images in 2K resolution, rendering crisp details even in 4x digital zoom, so you see everything clearly in live video and playback.

4MP





Zero blind spots.

Keep tabs on every corner with just one TY1. Its expansive 360-degree field-of-view ensures full coverage, so you don't miss a thing.

Vertical rotation 55°

 Horizontal rotation 350°





Communication, anytime.

Talk to your loved ones and deter unwelcome strangers – all by using the TY1's two-way communication feature. Using the EZVIZ App on your mobile device, you can easily and conveniently enjoy communication wherever you might be.






See further in the dark.

Enjoy round-the-clock protection with the TY1 camera. Using powerful Infrared LED lights, it lets you see up to 10 meters (33 feet) in dim light.



We protect your data and privacy.

Protecting your data and privacy is our highest priority. Data transmission between the camera and the EZVIZ Cloud is encrypted from end to end. Only you have the keys to decrypt your data. To get an extra layer of privacy protection, you can always enable the camera's sleep mode on the EZVIZ App.









TLS encryption Protocol



Multiple authentication steps

Save money on video storage and bandwidth. Video Storage

H.264

H.264

The camera features the advanced H.265 video compression technology, achieving better video quality with only half the bandwidth and half the storage space of the previous H.264 video compression standard.

TY1 4MP H.265 Bandwidth


Two storage options.

Save your recordings with flexible and secured solutions. The TY1 comes with a built-in MicroSD card slot that can store up to 256 GB of recorded footage. You can also save your images to EZVIZ Cloud* for additional back-up.

* Cloud storage service is only available in certain markets. Please verify the availability before making any purchase.







TY1 4MP H.265

Encrypted Cloud Storage*

^{*} The H.265 video compression applies when the 24/7 video recording is activated.

Specifications cs-TY1-C0-8B4WF

Camera

Image Sensor F2.2@1/3" Progressive Scan CMOS

Shutter Speed Self-adaptive shutter

Lens 4mm, view angle: 124°(Diagonal), 85° (Horizontal),

55°(Vertical)

Lens Mount M12

Day & Night IR-cut filter with auto-switching

DNR 3D DNR WDR Digital WDR

Compression

Video Compression H.265 / H.264

Video Bit Rate Adaptive bit rate.

Image

Max. Resolution 2560 × 1440

Frame Rate Max. 20 fps; Self-Adaptive during network transmission

Network

Smart Alarm Motion detection

Wi-Fi Pairing AP pairing

Protocol EZVIZ Cloud proprietary protocol

Interface Protocol EZVIZ Cloud proprietary protocol

Interface

Storage Micro SD card slot (Max. 256G)

Power Micro USB

Wired Network RJ45 \times 1 (10M/100M self-adaptive Ethernet port)

Wi-Fi

Standard IEEE802.11b, 802.11g, 802.11n

Frequency Range 2.4 GHz ~ 2.4835 GHz

Channel Bandwidth Supports 20MHz

Security 64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK

Transmission Rate 11b: 11Mbps, 11g:54Mbps, 11n:72Mbps

Output Power(EIRP) 19 dBm

Antenna Gain 1.9 dBi

General

Operating Conditions -10°C to 45°C (14°F to 113 °F), Humidity 95% or less

(non-condensing)

Power Supply DC 5V/2A

Power Consumption Max. 5W

IR Range Max. 10 m (32.81 ft)

Dimensions $88 \times 88 \times 119 \text{ mm} (3.46 \times 3.46 \times 4.67 \text{ inch})$

Packaging Dimensions $103 \times 103 \times 186 \text{ mm} (4.06 \times 4.06 \times 7.32 \text{ inch})$

Bare Weight 259g (9.14oz)

In the box:

- TY1 Camera
- Base
- Screw Kit
- Power Cable 3m (9.8 ft.)
- Drill Template
- Power Adapter
- Quick Start Guide
- Regulatory Information

Certification:

FCC / UL / CE / WEEE / REACH / ROHS